


We speak carpet tile!



We speak carpet tile!







清洁空气
 clean air

Ecovier® 净甲醛功能性地毯
 与美国陶氏化学合作研发技术，
 高效除醛科技，吸收+分解双管齐下
 专利号：ZL 2017 2 0386260.6



详细视频，请扫二维码

Wilderness 9 Yonder 7





May time be gentle,
may time never be wasted,
and may all your luck
come by chance.









Yonder 7



Wilderness 9



旷野
WILDERNESS
SERIES



彼岸
YONDER
SERIES




Wilderness 1




Wilderness 2



Wilderness 3



Yonder 1



Yonder 2



Yonder 3



Wilderness 4




Wilderness 5



Wilderness 6




Yonder 4



Yonder 5



Yonder 6



Wilderness 7




Wilderness 8



Wilderness 9



Yonder 7



Yonder 8



Yonder 9

INSTALLATION METHODS



Quarter Turn



Ashlar



Monolithic



Brick

Style Name: 旷野/Wilderness
Construction: Multi-level loop
Yarn: Universal Nylon6
Color System: 100% Solution Dyed
Gauge: 1/10
Stitches: 8 per inch
Pile Weight: 28 oz/yd²
Pile Height: 5.0mm-8.0 mm (±0.5mm)
Backing: UltraEco Pro
Tile Size: 60cm×60cm
Area of Use: Heavy Commercial
Flammability: Passes (ASTM E 648-17) Class I
Passes (GB 8624-2012) B₁
Smoke Density: Passes ASTM E 662 Less than 450
Static Propensity: Passes AATCC-134≤3.5kV
Static Control: Life-of-the carpet Static Protection
Formaldehyde Purification: Passes (JC/T 1074-2008) Class I

彼岸/Yonder
Construction: Multi-level loop
Yarn: Universal Nylon6
Color System: 100% Solution Dyed
Gauge: 1/10
Stitches: 8 per inch
Pile Weight: 29 oz/yd²
Pile Height: 5.0mm-8.0 mm (±0.5mm)
Backing: UltraEco Pro
Tile Size: 60cm×60cm
Area of Use: Heavy Commercial
Flammability: Passes (ASTM E 648-17) Class I
Passes (GB 8624-2012) B₁
Smoke Density: Passes ASTM E 662 Less than 450
Static Propensity: Passes AATCC-134≤3.5kV
Static Control: Life-of-the carpet Static Protection
Formaldehyde Purification: Passes (JC/T 1074-2008) Class I

