



PROJECTFLOORS

TIMBER Collection

Project Floors NZ Ltd
55 Barrys Point Road, Takapuna, Auckland 6022
41 Welles Street, Christchurch Central 8011
www.projectfloors.co.nz | Tel: 09 444 4165
Email: salesoffice@projectfloors.co.nz

We speak carpet tile!

Start with
PROJECTFLOORS
... and lead
a more creative,
productive life.







Timber 4+5






Timber 7+8+9



Timber 8+9







Timber 1


Timber 2

Timber 3

TIMBER SERIES




Timber 4



Timber 5




Timber 6



Timber 7




Timber 8



Timber 9

INSTALLATION METHODS



Quarter Turn



Ashlar



Monolithic



Brick

Style Name:	Timber
Construction:	Multi-level loop
Yarn:	Universal Thrive® matter Nylon6
Color System:	100% Solution Dyed
Gauge:	1/10
Stitches:	8 per inch
Pile Weight:	31 oz/yd ²
Pile Height:	5.0mm-8.0 mm (±0.5mm)
Backing:	Eurobac / EcoTX
Tile Size:	50cmx50cm/60cm×60cm/33cmx100cm
Area of Use:	Heavy Commercial
Flammability:	Passes (ASTM E 648-17) Class I Passes (GB 8624-2012) B1
Smoke Density:	Passes ASTM E 662 Less than 450
Static Propensity:	Passes AATCC-134≤3.5kV
Static Control:	Life-of-the carpet Static Protection
Formaldehyde Purification:	Passes (JC/T 1074-2008) Class I

