

We speak carpet tile!

Project Floors NZ Ltd
55 Barrys Point Road, Takapuna, Auckland 6022
41 Welles Street, Christchurch Central 8011
www.projectfloors.co.nz | Tel: 09 444 4165
Email: salesoffice@projectfloors.co.nz



PROJECTFLOORS


CROSSOVER / CUMULUS


We speak carpet tile!



CLIP CITY







Social spaces
that create connections,
prioritize well-being,
and express a point
of view have a work
culture that empowers
people to do the same.

CLIENT INTERESTS AHEAD

CONFIDENCES
PRESERVE CLIENT

BRING INNOVATIONS
BASED ON TRUST
BUILD RELATIONSHIPS
COST-EFFECTIVE
MANAGE CLIENTS
SUSTAINING
REVENUE OF OPERATION
ARCHITECTURAL




INNOVATION

Because we know
it makes a difference.





CROSSOVER SERIES




Style Name:	Crossover
Construction:	Multi-level loop
Yarn:	Universal Nylon6
Color System:	100% Solution Dyed
Gauge:	1/12
Stitches:	10 per inch
Pile Weight:	17 oz/yd'
Pile Height:	3.0mm-5.5mm(±0.5mm)
Backing:	EcoTX (EuroBac option)
Tile Size:	33.3cm.x 100cm
Area of Use:	Heavy Commercial
Flammability:	Passes(ASTME648-1 0)Class I Passes(GB 8624-2012)B,
Smoke Density:	Passes ASTM E662 Less than 450
Static Propensity:	Passes AATCC-134,,,3.5kV
Static Control:	Life-of-the carpet Static Protection

INSTALLATION METHODS



CUMULUS SERIES



Style Name:	Cumulus
Construction:	Multi-level loop
Yarn:	Universal Nylon6
Color System:	100% Solution Dyed
Gauge:	1/12
Stitches:	10 per inch
Pile Weight:	16 oz/yd'
Pile Height:	3.0mm-5.5mm(±0.5mm)
Backing:	EcoTX (EuroBac option)
Tile Size:	33.3cm.x 100cm
Area of Use:	Heavy Commercial
Flammability:	Passes(ASTME648-1 0)Class I Passes(GB 8624-2012)B,
Smoke Density:	Passes ASTM E662 Less than 450
Static Propensity:	Passes AATCC-134,,,3.5kV
Static Control:	Life-of-the carpet Static Protection

INSTALLATION METHODS

