



PROJECTFLOORS

**NEBULOUS &
INEFFABLE**

Project Floors NZ Ltd
55 Barrys Point Road, Takapuna, Auckland 6022
41 Welles Street, Christchurch Central 8011
www.projectfloors.co.nz | Tel: 09 444 4165
Email: salesoffice@projectfloors.co.nz


We speak carpet tile!





Nebulous 2+3










Ineffable 8








NEBULOUS SERIES



Nebulous 10




Nebulous 11



Nebulous 1



Nebulous 4



Nebulous 7



Nebulous 2



Nebulous 5




Nebulous 8



Nebulous 3



Nebulous 6



Nebulous 9



INEFFABLE SERIES



Ineffable 1



Ineffable 4



Ineffable 7



Ineffable 2



Ineffable 5



Ineffable 8



Ineffable 3




Ineffable 6



Ineffable 9

INSTALLATION METHODS



Quarter Turn



Ashlar



Monolithic



Brick

Style Name:	Nebulous/ Ineffable Multi-level loop
Construction:	Multi-level loop
Yarn:	Universal Nylon 6 Thrive® Matter
Color System:	1000% Solution Dyed
Gauge:	1/10
Stitches:	8 per inch
Pile Weight:	22 oz/yd'
Pile Height:	4.0mm-8.5mm (±0.5mm)
Backing:	Eurobac/EcoTX
Tile Size:	50x50cm/60x60cm/25x100cm/33x100cm
Area of Use:	Heavy Commercial
Flammability:	Passes (ASTME648-10) Class I Passes (GB 8624-2012) B1
Smoke Density:	Passes ASTM E662 Less than 450 Passes
Static Propensity:	AATCC-134♦3.SkV
Static Control:	Life-of-the carpet Static Protection
Formaldehyde Pnification:	Passes (JC/T 1074-2008) Class I

