
We speak carpet tile!

Project Floors NZ Ltd
55 Barrys Point Road, Takapuna, Auckland 6022
41 Welles Street, Christchurch Central 8011
www.projectfloors.co.nz | Tel: 09 444 4165
Email: salesoffice@projectfloors.co.nz















Don't sigh for the lost time, but face up to the time that you want to slip away in a hurry.









Glorious 1








Glorious 2



Glorious 3



Glorious 4



Glorious 5

GLORIOUS





Glorious 6



Glorious 7



Glorious 8



Glorious 9

INSTALLATION METHODS









Style Name: Glorious Construction: Multi-level loop

Yarn: Universal Nylon6 & Nylon6 100%

Color System: Solution Dyed Gauge: 1/10

Stitches: 10 per inch Pile Weight: 19 oz/yd²

Pile Height: 2.5mm-6.5mm(±0.5mm) Backing: EuroBac or EcoTX Tile Size: 25cm×100cm

Area of Use: Heavy Commercial Flammability:

Passes (ASTME648-10) Class I

Passes (GB 8624-2012) B1 Smoke Density: Passes ASTM E 662 Less than 450 Static Propensity: Passes AATCC-134≤3.5kV Static Control: Life-of-the carpet Static Protection Formaldehyde Purification: Passes (JC/T 1074-2008) Class I

MOOIFLOR 14