



Project Floors NZ Ltd
55 Barrys Point Road, Takapuna, Auckland 6022
41 Welles Street, Christchurch Central 8011
www.projectfloors.co.nz Tel: 09 444 4165
Email: salesoffice@projectfloors.co.nz

Tranquility 4



Iridescent 6+ Ethereal 3



MOOIFLOR

PROJECT FLOORS



Tranquility, Ethereal & Iridescent Series



Iridescent 3




Tranquility 2







Creativity
is more than
just being
different.
Making the
simple,
awesomely
simple,
that's
creativity.




TRANQUILITY SERIES



Tranquility 1



Tranquility 2



Tranquility 3



Tranquility 4

ETHEREAL SERIES



Ethereal 1



Ethereal 2



Ethereal 3



Ethereal 4


IRIDESCENT SERIES



Iridescent 1




Iridescent 3




Iridescent 5



Iridescent 7



Iridescent 2



Iridescent 4



Iridescent 6



Iridescent 8

Style Name:	Tranquility	Ethereal
Construction:	Multi-level loop	Multi-level loop
Yarn:	100% Universal Nylon 6 Thrive® matter fibre	100% Universal Nylon 6 Thrive® matter fibre
Color System:	100% Solution Dyed	100% Solution Dyed
Gauge:	1/12	1/12
Stitches:	11 per inch	11 per inch
Pile Weight:	20 oz/yd'	18 oz/yd'
Pile Height:	2.5mm-4.5mm (±0.5mm)	3.0mm-5.5mm (±0.5mm)
Backing:	EcoTX / EuroBac	EcoTX / EuroBac
Tile Size:	25cmx100cm	25cmx100cm
Area of Use:	Heavy Commercial	Heavy Commercial
Flammability:	Passes (ASTME648-10) Class I Passes (GB 8624-2012) 8I	Passes (ASTME648-10) Class I Passes (GB 8624-2012) 81
Smoke Density:	Passes ASTM E 662 Less than 450	Passes ASTM E 662 Less than 450
Static Propensity:	Passes AATCc-134, 3.5kV	Passes AATCc-134, 3.5kV
Static Control:	Life-of-the carpet Static Protection	Life-of-the carpet Static Protection

Iridescent
Multi-level loop
100% Universal Nylon 6 Thrive® matter fibre
100% Solution Dyed
1/12
11 per inch
18 oz/yd'
3.0mm-5.5mm (±0.5mm)
EcoTX / EuroBac
25cmx100cm
Heavy Commercial
Passes (ASTME648-10) Class I
Passes (GB 8624-2012) 81
Passes ASTM E 662 Less than 450
Passes AATCc-134, 3.5kV
Life-of-the carpet Static Protection

INSTALLATION METHODS

