




CARPET PLANK / THREADEON COLLECTION / 2026

Threadeon

Linear rhythm, shaped to flow

An eight-colour multi-level loop carpet plank collection. Threadeon stretches layered marks into a directional format for movement, transitions and calm architectural zoning.

8

COLOURWAYS

UltraEco Pro

BACKING

100%

SOLUTION DYED


Class I

ASTM E648

THE COLOURWAYS



Threadeon-1



Threadeon-2




Threadeon-3




Threadeon-4




Threadeon-5



Threadeon-6



Threadeon-7



Threadeon-8

Linear rhythm, shaped to flow

Thredeon uses multi-level loop construction with Universal Nylon 6, a 100% solution-dyed colour system and UltraEco Pro backing. Its 25 cm x 100 cm modular format is specified for heavy commercial interiors.

SPECIFICATION

CONSTRUCTION

Multi-level loop

YARN

Universal Nylon 6

COLOUR SYSTEM

100% solution dyed

GAUGE

1/12

STITCHES

6 per inch

PILE WEIGHT

23 oz/yd²

PILE HEIGHT

4.0-7.0 mm (+/- 0.5 mm)

BACKING

UltraEco Pro

TILE SIZE

25 cm x 100 cm

TOTAL THICKNESS

9.0 mm (+/- 0.5 mm)

TOTAL WEIGHT

3900 (+/- 100) g/m²

AREA OF USE

Heavy commercial

FLAMMABILITY

Passes ASTM E648-17 Class I
Passes GB 8624-2012 B1

STATIC CONTROL

Life-of-the-carpet static protection

FORMALDEHYDE PURIFICATION


Passes JC/T 1074-2008 Class I

Eight tones, one system

Each named colourway shares the same construction and heavy-commercial specification. The linear field moves from pale neutrals through warm accents to cooler architectural tones.



Threadeon-1



Threadeon-2




Threadeon-3




Threadeon-4




Threadeon-5



Threadeon-6



Threadeon-7



Threadeon-8

COLOUR NOTE

Screen and print colour are indicative only. Request a physical sample before final specification.

DESIGNED TOGETHER

One palette, two formats

Crystaspun and Threadeon were developed as complementary layers: a softly fractured square tile and a directional linear plank. Use either alone, or pair matching colour numbers to shape fields, paths and zones without breaking the palette.



COORDINATED PAIRINGS



PAIR 01

Threadeon-1 + Crystaspun-1



PAIR 02

Threadeon-2 + Crystaspun-2



PAIR 03

Threadeon-3 + Crystaspun-3




PAIR 04

Threadeon-4 + Crystaspun-4




PAIR 05

Threadeon-5 + Crystaspun-5




PAIR 06

Threadeon-6 + Crystaspun-6



PAIR 07

Threadeon-7 + Crystaspun-7



PAIR 08

Threadeon-8 + Crystaspun-8



Square tile + linear plank
60 x 60 cm + 25 x 100 cm

IN SITU


Where Threadeon lands




01
FIELD / SCALE



02
DIRECTION



03
DETAIL



04
LIGHT + COLOUR

MATERIAL KEY



02



03




07



08

Laying & performance

INSTALLATION METHODS



Herringbone



Ashlar



Monolithic



Brick

COVERAGE

25 cm x 100 cm modular carpet plank

ADHESIVE

Project Floors ProjectStik, matched to UltraEco Pro backing

INSTALLED PROFILE

9.0 mm (+/- 0.5 mm) total thickness; 4.0-7.0 mm (+/- 0.5 mm) pile

COMPLIANCE & PERFORMANCE

Threadeon is tested across flammability, smoke density, static and indoor-air-related performance standards.

TEST

RESULT

Flammability - ASTM E648-17

Class I

Flammability - GB 8624-2012

B1

Smoke density - ASTM E662

< 450

Static propensity - AATCC-134

<= 3.5 kV

Static control

Life-of-the-carpet protection

Formaldehyde purification - JC/T 1074-2008

Class I

UltraEco Pro & product disclosure

Threadeon pairs a 100% solution-dyed Universal Nylon 6 yarn system with UltraEco Pro backing and a modular format. The supplied manufacturer literature also displays recognised product-health and environmental disclosure credentials.

- **100% solution-dyed colour**

Colour is integrated into the yarn system.

- **UltraEco Pro backing**

Backing specified in the Threadeon technical schedule.

- **25 x 100 cm plank**

Supports targeted maintenance and selective replacement.

- **Heavy commercial use**

Specified for sustained commercial interiors.

PUBLISHED CREDENTIALS

The supplied paired-range literature displays EPD, PHD, Declare, Ecover and CE marks, together with additional testing and quality credentials. Current certificate scope and validity should be confirmed for each project.



FORMALDEHYDE PURIFICATION

The Threadeon schedule records formaldehyde purification as passing JC/T 1074-2008 Class I. Product-health and environmental disclosure marks are shown in the same manufacturer literature.

IMPORTANT DISCLOSURE NOTE

No recycled-content percentage is stated in the supplied Threadeon technical schedule.
A recycled-content claim has therefore not been added to this brochure.
Confirm current EPD, Declare and recycled-content documentation with Project Floors before tender or publication.

GET IN TOUCH

Request samples or a project consultation

Thredeon samples are available for architects, designers and specifiers. Contact Project Floors for physical samples, current certificates, technical documentation and project support.

PROJECT FLOORS NEW ZEALAND

salesoffice@projectfloors.co.nz

09 444 4565 / projectfloors.co.nz

AUCKLAND STUDIO

55 Barrys Point Road
Takapuna, Auckland 0622

CHRISTCHURCH STUDIO

41 Welles Street
Christchurch Central 8011

[SAMPLES](#) / [SUPPORT](#) / [CERTIFICATES](#)