

We speak carpet tile!



We speak carpet tile!





Start with
MOOIFLOR ...
... and lead
a more creative,
productive life.



May time be gentle,
may time never be wasted,
and may all your luck
come by chance.





HCHO


HCHO

HCHO

吸收
Ecover
分解

清洁空气
clean air

Ecover® 净甲醛功能性地毯
与美国陶氏化学合作研发技术，
高效除醛科技，吸收+分解双管齐下
专利号：ZL 2017 2 0386260.6



详细视频，请扫描二维码



Petra 1+8

MOOIFLOR



Petra 4



Petra 2



Petra 2+7



Petra 1+2+3





Petra 4+6



Petra 1+2+3



Petra 1+3

Thrive[®] matter

THRIVE[®] MATTER World's first carbon negative fibre
世界第一款负碳排放纤维

- 100%工业后回收切片, 总回收比例90%
100% post-industrial recycled resin-for
a total of 90% recycled content
- 高膨化, 低克重
High bulk, lightweight coverage
- 100%可回收
100% Recyclable
- 溶液染色, 平均长径比<2.0
100% solution-dyed color, Average MR<2.0



负碳排放认证
Carbonfund.org



GreenCircle[®]认证
Independent GreenCircle[®] Certification



LCA、UL[®]EPD认证
Life Cycle Assessment(LCA)、
Third-Party Certified Environmental
Product Declaration



摇篮到摇篮 Version 4.0黄金认证
C2C Certified Material Health Certificate[™]
GOLD LEVEL

为多种绿色建筑系统评分加分
Adding value to projects in varying
Green Rating Systems



PETRA
SERIES
拓印




Petra 1



Petra 2



Petra 3




Petra 4



Petra 5



Petra 6



Petra 7




Petra 8



Petra 9

INSTALLATION METHODS



Quarter Turn



Ashlar



Monolithic



Brick



Ecover[®]

Declare.



Style Name: 拓印/Petra
Construction: Multi-level loop
Yarn: Universal Thrive[®]matter Nylon6
Color System: 100% Solution Dyed
Gauge: 1/12
Stitches: 7 per inch
Pile Weight: 23 oz/yd²
Pile Height: 4.5mm-7.5mm (±0.5mm)
Backing: UltraEco Pro
Tile Size: 60cm×60cm
Total Thickness: 9.0mm(±0.5mm)
Total Weight: (3900±100)g/m²
Area of Use: Heavy Commercial
Flammability: Passes (ASTM E 648-17) Class I
Passes (GB 8624-2012) B₁
Smoke Density: Passes ASTM E 662 Less than 450
Static Propensity: Passes AATCC-134≤3.5kV
Static Control: Life-of-the carpet Static Protection
Formaldehyde Purification: Passes (JC/T 1074-2008) Class I